	Application No.	Applicant(s)
Notice of Allowability	10/550,257	BURMINSKIY, EDUARD PETROVICH
	Examiner	Art Unit
	Thomas E. Lazo	3745
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>49-94</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment or in the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL. must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 9/122/05 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	 5. ☐ Notice of Informal P 6. ☑ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☑ Other Abstract. 	(PTO-413), e <u>20061020</u> .

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Maurina F. Cunningham (38,419) on 10/20/06.

The application has been amended as follows:

IN THE SPECIFICATION:

The abstract has been replaced by the attached abstract.

The above change to the specification has been made to shorten the abstract.

REASONS FOR ALLOWANCE

The instant invention is deemed to be directed to an unobvious improvement over the invention patented in U. S. Patent No. 2,103,103 to Waters. The improvement comprises a piston mechanism with diverging pistons, wherein all guide channels are provided with throughouts in the working surface of the cylinder with outlets into its cavity so that lateral faces of the connecting rods of the synchronous groups of the different directions facing the cavity of the cylinder form movable parts of its working surface and the pistons are sequentially attached by their peripheries to the lateral faces of the connecting rods of the different synchronous groups,

Art Unit: 3745

forming working chambers between them for the purposes of providing a higher power-weight ratio and different strokes of independent working cycles to be performed simultaneously.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

PRIOR ART

The patent to Waters is cited for the showing of a piston mechanism with diverging pistons similar to applicant's but lacking guide channels provided with through cuts.

Prior art made of record but not relied upon is considered pertinent to Applicant's disclosure and consists of four patents.

Bowman, Thomas, Ingram, and Pichoud are cited to show piston mechanisms with diverging pistons.

Contact Information

Any inquiry concerning this communication or earlier communication from the examiner should be directed to Thomas Lazo whose telephone number is (571) 272-4818. The examiner can normally be reached on Monday-Friday from 8:00 am to 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor Edward Look, can be reached on (571) 272-4820. The fax phone number for this Group is (571) 273-8300.

Application/Control Number: 10/550,257

Art Unit: 3745

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thomas E. Lazo

Page 4

Primary Examiner

Art Unit 3745

October 20, 2006